

Garden Atmosphere

Garden Classic

Complexity: **Easy** | Topcoating: **Novia**
 Brushing: **Optional** | Finish: **Silk matte**

A classic lacquered look with a silk matte surface.

*Garden Classic applied on brushed white oak.
 Results will vary depending on the colour and type of your original wood floor.*

Products used
 <p>1x Bona Classic</p>
 <p>2x Novia Silk matte</p>

Directions	Drying time
1. Prepare the floor and end the sanding with grit 120 or finer.	
2. Apply Bona Classic using a roller or other suitable applicator (approx. 8-10 m ² /lit).	1-2 h
3. Apply Bona Novia using a Bona Microfiber Roller 11 mm and let dry.	2-3 h
4. Make a light intermediate abrasion to reduce any grain raise using Bona Diamond Abrasives grit 120. Vacuum or dust wipe.	
5. Apply a second coat of Bona Novia (approx. 8-10 m ² /lit).	12-24 h

Other information

- For higher wear resistance requirements consider replacing Novia with Mega or Traffic/Traffic HD.

This guide describes the overall treatment process of wooden floors and does not replace technical and safety datasheets, that are subject to change, and must be observed prior to use. The drying times suggested are typical drying times at 20°C/60% RH, and must be adjusted to local indoor climate conditions.