



New Modern

Modern Liquorice

Complexity: **Easy** | Topcoating: **Traffic HD SM**
Brushing: **Required** | Finish: **Silk matte shine**

Floor brushed and painted black, with natural wood grains brought out beautifully.

*Modern Liquorice applied on brushed white oak.
Results will vary depending on the colour and type of your original wood floor.*

Products used
 <p>1x Bona Decor Paint Black</p>  <p>2x Bona Traffic HD SM</p>

Directions	Drying time
1. Prepare the floor and end the sanding with grit 120.	
2. Apply a thin coat of paint (approx. 12-15 m ² /lit) using a Bona Microfiber Roller 5 mm and let dry.	2-3 h
3. Apply a coat of Bona Traffic HD SM (approx. 8-10 m ² /lit) using a Bona Microfiber Roller 11 mm and let dry.	2-3 h
4. Make a light intermediate abrasion to reduce any grain raise using Bona Diamond Abrasives grit 120. Vacuum or dust wipe.	
5. Apply an additional coat of Bona Traffic HD SM.	6-12 h

Other information

- For lower wear resistance requirements, another non-yellowing lacquer such as Bona Novia or Bona Traffic can be used.

Special considerations

Brushing is required so as to preserve some of the wood feeling.

This guide describes the overall treatment process of wooden floors and does not replace technical and safety datasheets, that are subject to change, and must be observed prior to use. The drying times suggested are typical drying times at 20°C/60% RH, and must be adjusted to local indoor climate conditions.